ELSEVIER

Hearing Research 160 (2001) 114

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 160

Asaka, Y., see Tabuchi, K. (160) 31

Berger, S., see Erichsen, S. (160) 37

Champlin, C.A., see Harkrider, A.W. (160) 73
Champlin, C.A., see Whicker Harkrider, A. (160) 89
Champlin, C.A., see Harkrider, A.W. (160) 99

Erichsen, S., Berger, S., Schmid, W., Stierna, P. and Hultcrantz, M.
Na,K-ATPase expression in the mouse cochlea is not dependent on the mineralocorticoid receptor (160) 37

Freeman, S., see Sohmer, H. (160) 111

Gluck, M.A., see Orduña, I. (160) 47
Gsenger, M., see Kammen-Jolly, K. (160) 15

Habiby Kermany, M., see Sheykholeslami, K. (160) 58
Hara, A., see Tabuchi, K. (160) 31
Harkrider, A.W., Champlin, C.A. and McFadden, D.
Acute effect of nicotine on non-smokers: I. OAEs and ABRs (160) 73
Harkrider, A.W. and Champlin, C.A.
Acute effect of nicotine on non-smokers: III. LLRs and EEGs (160) 99
Hultcrantz, M., see Erichsen, S. (160) 37

Ichiki, H., see Kammen-Jolly, K. (160) 15
Igić, P.G., see Werner, Y.L. (160) 22

Jia, X.Q., Nakashima, T., Kadomatsu, K. and Muramatsu, T.
Expression of midkine in the cochlea (160) 10

Kadomatsu, K., see Jia, X.Q. (160) 10
Kaga, K., see Sheykholeslami, K. (160) 58
Kammen-Jolly, K., Ichiki, H., Scholtz, A.W., Gsenger, M., Kreczy, A. and Schrott-Fischer, A.
Connexin 26 in human fetal development of the inner ear (160) 15
Kreczy, A., see Kammen-Jolly, K. (160) 15
Kusakari, J., see Tabuchi, K. (160) 31

Marcus, D.C., see Sage, C.L. (160) 1

McFadden, D., see Harkrider, A.W. (160) 73
Mercado III, E., see Orduña, I. (160) 47
Merzenich, M.M., see Orduña, I. (160) 47
Muramatsu, T., see Jia, X.Q. (160) 10

Nakashima, T., see Jia, X.Q. (160) 10

Orduña, I., Mercado III, E., Gluck, M.A. and Merzenich, M.M.
Spectrotemporal sensitivities in rat auditory cortical neurons (160) 47

Sage, C.L. and Marcus, D.C.
Immunolocalization of ClC-K chloride channel in strial marginal cells and vestibular dark cells (160) 1
Saunders, J.C., see Werner, Y.L. (160) 22
Schmid, W., see Erichsen, S. (160) 37
Scholtz, A.W., see Kammen-Jolly, K. (160) 15
Schrott-Fischer, A., see Kammen-Jolly, K. (160) 15
Sheykholeslami, K., Habiby Kermany, M. and Kaga, K.
Frequency sensitivity range of the saccule to bone-conducted stimuli measured by vestibular evoked myogenic potentials (160) 58
Sohmer, H. and Freeman, S.
The latency of auditory nerve brainstem evoked responses to air- and bone-conducted stimuli (160) 111
Stierna, P., see Erichsen, S. (160) 37
Sugawara, M. and Wada, H.
Analysis of elastic properties of outer hair cell wall using shell theory (160) 63

Tabuchi, K., Tsuji, S., Asaka, Y., Hara, A. and Kusakari, J.
Ischemia-reperfusion injury of the cochlea: effects of an iron chelator and nitric oxide synthase inhibitors (160) 31
Tsuji, S., see Tabuchi, K. (160) 31

Wada, H., see Sugawara, M. (160) 63
Werner, Y.L., Igić, P.G. and Saunders, J.C.
Effects of surgery and other experimental factors on the evaluation of middle ear function in gekkonoid lizards (160) 22
Whicker Harkrider, A. and Champlin, C.A.
Acute effect of nicotine on non-smokers: II. MLRs and 40-Hz responses (160) 89

PII: S0378-5955(01)00382-3

ELSEVIER

Hearing Research 160 (2001) 115–117

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 160

Adrenal steroid
Inner ear; Immunohistochemistry; Development; Knockout mouse (Erichsen, S. (160) 37)

Afferent/efferent transmission
Cholinergic; Transdermal nicotine; Otoacoustic emissions; Auditory evoked potential; Auditory brainstem response; Exogenous (Harkrider, A.W. (160) 73)

Cholinergic receptor; Transdermal nicotine; Auditory evoked potential; Endogenous; Electroencephalogram; Long-latency response (Harkrider, A.W. (160) 99)

Auditory brainstem response
Cholinergic; Transdermal nicotine; Otoacoustic emissions; Auditory evoked potential; Exogenous; Afferent/efferent transmission (Harkrider, A.W. (160) 73)

Bone conduction; Latency; Fluid (Sohmer, H. (160) 111)

Auditory evoked potential
Cholinergic; Transdermal nicotine; Otoacoustic emissions; Auditory brainstem response; Exogenous; Afferent/efferent transmission (Harkrider, A.W. (160) 73)

Cholinergic receptor; Transdermal nicotine; Middle latency response; 40-Hz response; Mesogenous (Whicker Harkrider, A. (160) 89)

Cholinergic receptor; Transdermal nicotine; Endogenous; Electroencephalogram; Long-latency response; Afferent/efferent transmission (Harkrider, A.W. (160) 99)

Bone conduction
Vestibular; Vestibular evoked myogenic potential; Myogenic potential; Frequency sensitivity range; Saccule; Repetition rate (Sheykholeslami, K. (160) 58)

Auditory brainstem response; Latency; Fluid (Sohmer, H. (160) 111)

Chloride channel
Immunoblot; Immunohistochemistry; Stria vascularis; Vestibular dark cell (Sage, C.L. (160) 1)

Cholinergic
Transdermal nicotine; Otoacoustic emissions; Auditory evoked potential; Auditory brainstem response; Exogenous; Afferent/efferent transmission (Harkrider, A.W. (160) 73)

Cholinergic receptor
Transdermal nicotine; Auditory evoked potential; Middle latency response; 40-Hz response; Mesogenous (Whicker Harkrider, A. (160) 89)

Transdermal nicotine; Auditory evoked potential; Endogenous; Electroencephalogram; Long-latency response; Afferent/efferent transmission (Harkrider, A.W. (160) 99)

Cochlea
Midkine; Neurotrophic factor; Development (Jia, X.Q. (160) 10)

Ischemia; Iron chelator; Nitric oxide synthase (Tabuchi, K. (160) 31)

Connexin 26
Gap junction; Human development; Inner ear; Immunocytochemistry (Kammen-Jolly, K. (160) 15)

Cortex
Directionality; Electrophysiology; Receptive field; Sound; Tuning; Time-varying (Orduña, I. (160) 47)

Development
Midkine; Cochlea; Neurotrophic factor (Jia, X.Q. (160) 10)

Inner ear; Adrenal steroid; Immunohistochemistry; Knockout mouse (Erichsen, S. (160) 37)

Directionality
Cortex; Electrophysiology; Receptive field; Sound; Tuning; Time-varying (Orduña, I. (160) 47)

Elastic property
Outer hair cell; Shell model; Numerical analysis (Sugawara, M. (160) 63)

Electroencephalogram
Cholinergic receptor; Transdermal nicotine; Auditory evoked potential; Endogenous; Long-latency response; Afferent/efferent transmission (Harkrider, A.W. (160) 99)

Electrophysiology
Cortex; Directionality; Receptive field; Sound; Tuning; Time-varying (Orduña, I. (160) 47)

Endogenous
Cholinergic receptor; Transdermal nicotine; Auditory evoked potential; Electroencephalogram; Long-latency response; Afferent/efferent transmission (Harkrider, A.W. (160) 99)

Exogenous
Cholinergic; Transdermal nicotine; Otoacoustic emissions; Auditory evoked potential; Auditory brainstem response; Afferent/efferent transmission (Harkrider, A.W. (160) 73)

PII: S0378-5955(01)00383-5

Fluid
Auditory brainstem response; Bone conduction; Latency (Sohmer, H. (160) 111)

Frequency sensitivity range
Vestibular; Vestibular evoked myogenic potential; Myogenic potential; Bone conduction; Saccule; Repetition rate (Sheykholeslami, K. (160) 58)

Gap junction
Connexin 26; Human development; Inner ear; Immunocytochemistry (Kammen-Jolly, K. (160) 15)

Gecko
Lizard; Middle ear function; Method; Posture; Surgery (Werner, Y.L. (160) 22)

Human development
Gap junction; Connexin 26; Inner ear; Immunocytochemistry (Kammen-Jolly, K. (160) 15)

40-Hz response
Cholinergic receptor; Transdermal nicotine; Auditory evoked potential; Middle latency response; Mesogenous (Whicker Harkrider, A. (160) 89)

Immunoblot
Chloride channel; Immunohistochemistry; Stria vascularis; Vestibular dark cell (Sage, C.L. (160) 1)

Immunocytochemistry
Gap junction; Connexin 26; Human development; Inner ear (Kammen-Jolly, K. (160) 15)

Immunohistochemistry
Chloride channel; Immunoblot; Stria vascularis; Vestibular dark cell (Sage, C.L. (160) 1)

Inner ear; Adrenal steroid; Development; Knockout mouse (Erichsen, S. (160) 37)

Inner ear
Gap junction; Connexin 26; Human development; Immunocytochemistry (Kammen-Jolly, K. (160) 15)

Adrenal steroid; Immunohistochemistry; Development; Knockout mouse (Erichsen, S. (160) 37)

Iron chelator
Cochlea; Ischemia; Nitric oxide synthase (Tabuchi, K. (160) 31)

Ischemia
Cochlea; Iron chelator; Nitric oxide synthase (Tabuchi, K. (160) 31)

Knockout mouse
Inner ear; Adrenal steroid; Immunohistochemistry; Development (Erichsen, S. (160) 37)

Latency
Auditory brainstem response; Bone conduction; Fluid (Sohmer, H. (160) 111)

Lizard
Gecko; Middle ear function; Method; Posture; Surgery (Werner, Y.L. (160) 22)

Long-latency response
Cholinergic receptor; Transdermal nicotine; Auditory evoked potential; Endogenous; Electroencephalogram; Afferent/efferent transmission (Harkrider, A.W. (160) 99)

Mesogenous
Cholinergic receptor; Transdermal nicotine; Auditory evoked potential; Middle latency response; 40-Hz response (Whicker Harkrider, A. (160) 89)

Method
Lizard; Gecko; Middle ear function; Posture; Surgery (Werner, Y.L. (160) 22)

Middle ear function
Lizard; Gecko; Method; Posture; Surgery (Werner, Y.L. (160) 22)

Middle latency response
Cholinergic receptor; Transdermal nicotine; Auditory evoked potential; 40-Hz response; Mesogenous (Whicker Harkrider, A. (160) 89)

Midkine
Cochlea; Neurotrophic factor; Development (Jia, X.Q. (160) 10)

Myogenic potential
Vestibular; Vestibular evoked myogenic potential; Bone conduction; Frequency sensitivity range; Saccule; Repetition rate (Sheykholeslami, K. (160) 58)

Neurotrophic factor
Midkine; Cochlea; Development (Jia, X.Q. (160) 10)

Nitric oxide synthase
Cochlea; Ischemia; Iron chelator (Tabuchi, K. (160) 31)

Numerical analysis
Outer hair cell; Shell model; Elastic property (Sugawara, M. (160) 63)

Otoacoustic emissions
Cholinergic; Transdermal nicotine; Auditory evoked potential; Auditory brainstem response; Exogenous; Afferent/efferent transmission (Harkrider, A.W. (160) 73)

Outer hair cell
Shell model; Elastic property; Numerical analysis (Sugawara, M. (160) 63)

Posture
Lizard; Gecko; Middle ear function; Method; Surgery (Werner, Y.L. (160) 22)

Receptive field
Cortex; Directionality; Electrophysiology; Sound; Tuning; Time-varying (Orduña, I. (160) 47)

Repetition rate
Vestibular; Vestibular evoked myogenic potential; Myogenic potential; Bone conduction; Frequency sensitivity range; Saccule (Sheykholeslami, K. (160) 58)

Saccule
Vestibular; Vestibular evoked myogenic potential; Myogenic potential; Bone conduction; Frequency sensitivity range; Repetition rate (Sheykholeslami, K. (160) 58)

Shell model
Outer hair cell; Elastic property; Numerical analysis (Sugawara, M. (160) 63)

Sound
Cortex; Directionality; Electrophysiology; Receptive field; Tuning; Time-varying (Orduña, I. (160) 47)

Stria vascularis
Chloride channel; Immunoblot; Immunohistochemistry; Vestibular dark cell (Sage, C.L. (160) 1)

Surgery
Lizard; Gecko; Middle ear function; Method; Posture (Werner, Y.L. (160) 22)

Time-varying
Cortex; Directionality; Electrophysiology; Receptive field; Sound; Tuning (Orduña, I. (160) 47)

Transdermal nicotine
Cholinergic; Otoacoustic emissions; Auditory evoked potential; Auditory brainstem response; Exogenous; Afferent/efferent transmission (Harkrider, A.W. (160) 73)

Cholinergic receptor; Auditory evoked potential; Middle latency response; 40-Hz response; Mesogenous (Whicker Harkrider, A. (160) 89)

Cholinergic receptor; Auditory evoked potential; Endogenous; Electroencephalogram; Long-latency response; Afferent/efferent transmission (Harkrider, A.W. (160) 99)

Tuning
Cortex; Directionality; Electrophysiology; Receptive field; Sound; Time-varying (Orduña, I. (160) 47)

Vestibular
Vestibular evoked myogenic potential; Myogenic potential; Bone conduction; Frequency sensitivity range; Saccule; Repetition rate (Sheykholeslami, K. (160) 58)

Vestibular dark cell
Chloride channel; Immunoblot; Immunohistochemistry; Stria vascularis (Sage, C.L. (160) 1)

Vestibular evoked myogenic potential
Vestibular; Myogenic potential; Bone conduction; Frequency sensitivity range; Saccule; Repetition rate (Sheykholeslami, K. (160) 58)